



# DIACHLOR® SERIES SUPER COAGULANT

## WHAT IS DIACHLOR® SUPER COAGULANT?

Our super coagulant is special formulated polyaluminium chloride (PAC) having high concentration of polymerized aluminium chain.

Our super coagulant promotes sustainability with **ZERO WASTE** production.

Our super coagulant produces **HEALTHY** drinking water because it leaves very minimal (sometimes undetectable) traces of residue aluminium, which has been linked to adverse health effects.

Our super coagulant is **ENVIRONMENTALLY FRIENDLY** because it produces less hazardous sludge in water and wastewater treatment.



## DIACHLOR® PRODUCTS RANGE

- Polyaluminium Chloride (PAC) Type 1
- Polyaluminium Chloride (PAC) Type 2
- Polyaluminium Chloride (PAC) Type 3
- Aluminium Chlorohydrate (ACH)



**ENVIROMENTAL  
FRIENDLY**



**LESS SLUDGE  
PRODUCTION**




**COST SAVING**



**STRONGER &  
DENSER FLOC**



**SAFE IN FOOD &  
PHARMA INDUSTRY**



**LESS DOSAGE  
LESS CONSUMPTION**

# DIACHLOR® ACH

## SUPER COAGULANT FOR DRINKING WATER & WASTEWATER TREATMENT

### Specifications for DIACHLOR® Aluminium Chlorohydrate (ACH)

Parameter	Unit	ACH
Density (Ambient temperature)	g/ml	1.32 - 1.38
Aluminium Oxide (Al <sub>2</sub> O <sub>3</sub> )	% w/w	23, min
Basicity	% w/w	> 83
pH	1% w/v solution	3.5 - 5.0
Sulphate ion (SO <sub>4</sub> <sup>2-</sup> )	% w/w	3.5, max
Insoluble matter	% w/w	1
Total Iron (Fe)	% w/w	0.05
Ammoniacal Nitrogen (N)	% w/w	0.01
Arsenic (As)	mg/kg	2.2
Manganese (Mn)	mg/kg	6.1
Cadmium (Cd)	mg/kg	0.5
Chromium (Cr)	mg/kg	4.6
Mercury (Hg)	mg/kg	0.6
Nickel (Ni)	mg/kg	3.1
Lead (Pb)	mg/kg	6.1
Antimony (Sb)	mg/kg	3.1
Selenium (Se)	mg/kg	3.1



**DIACHLOR®  
Aluminium  
Chlorohydrate**



1157-03/2012



Certified to  
NSF/ANSI/CAN 60

### Key Features

- Readily available in liquid form and use as received
- Remain as clear liquid and stable over time
- Packaging available in carboys, IBC tote bin, and flexibag
- High basicity requires less alkali
- Effective in water & wastewater treatment system
- Stable & consistent quality
- Applicable in any process requires clarification
- Work in high and low temperature environments

For enquiries:

E-mail: [info@dia-chemical.com](mailto:info@dia-chemical.com)

Contact: +603-7845 7895

Manufactured by DIA-Chemical Sdn. Bhd. whose quality management system is certified to ISO 9001:2015 by SIRIM QAS International.

# TESTIMONIAL

## DIACHLOR® SERIES SUPER COAGULANT JAR TEST OBSERVATION




Raw  
wastewater

Treated with  
PAC

Treated with  
DIACHLOR™

Jar Test for Caramel Refinery Wastewater



With 10ppm  
PAC

With 10ppm  
DIACHLOR™

Jar Test for Oil Refinery Wastewater

Above pictures show a comparison between conventional PAC & DIACHLOR® PAC performance towards industrial wastewater applications.

The comparisons were conducted under optimum conditions of conventional PAC and DIACHLOR® PAC with the similar grade and dosage.

### OUR PRODUCTS


- DIACHLOR® SERIES COAGULANTS
- POLYFLOC SERIES FLOCCULANTS
- OTHER SPECIALTY CHEMICALS
  - EMULSION BREAKER EL-1000
  - AMMONIA REMOVAL AMRemove-1000
  - BIOGAS BOOST 1000

### OUR SERVICES

- JAR TEST ANALYSIS
- BIOMETHANE POTENTIAL MEASUREMENT
- WATER & WASTEWATER ANALYSIS
- ENGINEERING SERVICES
- TURNKEY PROJECT FOR TREATMENT PLANTS
- EPCC FOR TREATMENT PLANTS

*For more details, please visit us at [www.dia-chemical.com](http://www.dia-chemical.com)*

### CERTIFIED BY



CERTIFIED TO ISO 9001:2015  
CERT. NO.: QMS 03673



### DIA-Chemical Sdn Bhd

Tel: +03 – 7845 7895 (Office)

Tel: +03 – 8920 7713 (Factory)

Website: [www.dia-chemical.com](http://www.dia-chemical.com)

Office: 40, Jalan Apollo U5/193, Bandar Pinggiran Subang, 40150 Shah Alam, Selangor

Factory: 7, Jalan Perindustrian SIS, Taman Perindustrian SIS 228, 43700 Beranang, Selangor



**DIA-Chemical Sdn Bhd**

---

**DIA-Chemical Sdn Bhd**

Tel: +03 – 7845 7895 (Office)

Tel: +03 – 8920 7713 (Factory)

Website: [www.dia-chemical.com](http://www.dia-chemical.com)

Office: 40, Jalan Apollo U5/193, Bandar Pinggiran Subang, 40150 Shah Alam, Selangor

Factory: 7, Jalan Perindustrian SIS, Taman Perindustrian SIS 228, 43700 Beranang, Selangor